# CrashCore<sup>™</sup> Bollard

#### Crash-Rated Removable Bollard Installation Instructions





All purchases subject to McCue Limited Warranty & Purchase Terms, available at www.mccue.com/support/warranty






## **Suggested Tool List**

Below you will find the suggested tools for a deep cage CrashCore Bollard installation


F.	EQUIPMENT			HARDWA	ARE	& SUPPLIES
	Skid Steer with Bucket, Auger & Fork Attachments  10" Auger Bit (If No 10" Available Use 9" Bit)  Core Drill with 12" Diamond Core Bit  Concrete Mixing Equipment  Gas-Powered Generator	Wet/Dry Vacuum  Pressure Washer  Portable Work Lights (If Night Work)  Cordless Impact Driver  Dumpster Or Alternate Means To Remove Waste From Site		— Approximate  3/16" Carbide Ti Tapcon Self-Thi Removal Of Co.  5/16" Allen Key Driver	p Masor reading oncrete Cor Hex B for Clean	nry Drill Bit and 1/4" x 1-3/4" Concrete Anchors For fores Bit With Socket For Impact ning Stainless Steel
	TOOLS  Chalk for Marking Concrete, Chalk Line  String Line or Laser  Tape Measure  24" Push Broom  7" Corn Hand Broom  Finishing Trowel  Flat Transfer Shovel  Round Point Shovel	Level Extension Cord  48" Post Hole Digger Wheelbarrow  Web Slings for Lifting at least 1000 lb Capacity  Square with at least 2 ft Blade  3/4" Water Hose with Hose Head Nozzle	or Dead E Shut-Off V (Water Se 2 Adjustal Wrenches Utility Kniff String or V Digging B	s For Core Bit se Wire		PPE  Dust Mask  Eye Protection  Steel Toe Boots  Ear Protection  Gloves
	OH SH!T LIST Cones Caution Tape	Metal Barricade Jack Hammer	1/2" - 13 Ta 3/8" or #3 Rebar	p x 36″ Rod or		Masking Tape Tarp

#### **GROUND CONDITIONS PER ASTM F3016**


- ☐ **1a:** The concrete is 3000 psi minimum unconfined compressive strength, with one layer of #3 (Ø3/8") rebar spaced at 12" each way, with 1-1/4" cover at bottom. Rebar not shown here.
- □ **1b:** The base is Type A Grade 1 crushed limestone road base, compacted to 90% of standard proctor density.
- **1c:** The washed sand shall be classified as SP poorly graded sand and be compacted to a density of not less than 90% maximum dry density in accordance with AASHTO Method of Test T099.




PHOTOGRAPH: Take wide angle photo including





Use the 12" core drill to drill through concrete. Keep it clean — use the wet vac to make sure concrete slurry doesn't stain the sidewalk or enter drains.



























Insert the 48" core into the stainless steel cover and fasten using the 3 flathead  $\frac{1}{2}$ -13 x 2" screws


Open the cap by removing the screw. Lower the assembled core and cover into the sleeve and position cover facing away from parking lot.




Lift the cap over the nub on the back of the cover and slide the pad lock through hole located on the nub to secure and lock the cover into place.



Clean bollard cover and ensure entire site is clean.




**PHOTOGRAPH:** Take photos of completed installation, bollard height & typical spacing.




### **Photo Checklist**


Ensure to document the completion of each specified step that included a photo icon as shown below









42" Deep Hole




10" Diameter Hole




Overall Bollard Height



☐ Typical Bollard Spacing



☐ Finished Site Installation



Concrete Bag

